

**GENERAL NOTES**

- See detail schedule for door types, finish.
- See detail A1/A8.1 for construction and seismic attachment references.
- See window types, sheet A8.1, A8.4 for glazing types information.
- Exit signage is shown interior elevations only when location is critical. See detail A1/A8.2 for construction and seismic attachment references.
- Well-mounted fire alarm pull station, is 24" x 28" x 2 1/2" deep, 5/8" thick, 10-28. Mounting height is 48" to 54" A.F.F. See detail A1/A10.2 for construction and seismic attachment references.
- See detail A1/A10.2 for construction and seismic attachment references.
- See detail A1/A10.2 for construction and seismic attachment references.

**INTERIOR ELEVATIONS KEYNOTES**

6.00 WOOD AND CASEWORK  
6.02 Accessible sink cabinet. See detail 01/A6.1  
6.03 Backsplash  
6.05 FINISHERS  
9.00 FINISHERS  
9.19 Openings shown on ceiling bed  
9.47 Manufactured stone veneer on setting bed

10.00 SPECIALTIES  
10.02 Accessible restroom signage, see sheet A10.1, 1/9p.  
10.03 Paper towel dispenser, see detail C3/A10.1, 1/9p.  
10.28 Soap dispenser, see detail C3/A10.1, 1/9p.  
10.46 From support, see detail D2/A10.1, 1/9p.  
10.48 Tactile "EXIT" sign, see detail D3/A10.1, 1/9p.

11.00 EQUIPMENT  
11.13 Refrigerator/freezer unit, N.C.  
15.00 MISC. FINISHES  
15.08 Drinking Fountain (H-Low), see Plumbing Drawings.  
15.11 Register/grill. See Mechanical Drawings.

**INTERIOR ELEVATIONS - HALL A06**  
1/4" = 1'-0"

ELEVATION A  
ELEVATION B  
ELEVATION C  
ELEVATION D

**INTERIOR ELEVATIONS - HALL A09**  
1/4" = 1'-0"

ELEVATION A  
ELEVATION B  
ELEVATION C  
ELEVATION D

**INTERIOR ELEVATIONS - RSP / SPEECH A10**  
1/4" = 1'-0"

ELEVATION A  
ELEVATION B  
ELEVATION C  
ELEVATION D

**INTERIOR ELEVATIONS - WORK ROOM A11**  
1/4" = 1'-0"

ELEVATION A  
ELEVATION B  
ELEVATION C  
ELEVATION D

**CASEWORK NOTES**

- INSULATE HOT WATER & DRAIN PIPES. THERE SHALL BE NO SHARP OR ABRASIVE OBJECTS OR SURFACES UNDER LAVATORY OR SINKS.
- WALL FINISH: WALL SURFACE IS NOT ELEVATED. MATCH ADJACENT WALL FINISH.
- PROVIDE PLASTIC LAMINATE FINISH AT ALL EXPOSED CASEWORK SPACES. FINISH AND COLOR TO BE DETERMINED BY THE ARCHITECT. WOODWORK INSTITUTE (W) CASEWORK. REFER TO THE WOODWORK INSTITUTE MANUAL OF MILLWORK.
- WOODWORK INSTITUTE (W) CASEWORK. REFER TO THE WOODWORK INSTITUTE MANUAL OF MILLWORK.

**INTERIOR ELEVATION LEGEND**

F-1 FINISH COLOR/PREF. # SECTION (09 05 00)  
G-1 GROUND TILE ON WATER RESISTANT OPSILUM WALL BOARD  
T-1 TACKLE WALL PANEL ON OPSILUM WALL BOARD  
F-1 FINISH COLOR/PREF. # SECTION (09 05 00)  
G-1 GROUND TILE ON WATER RESISTANT OPSILUM WALL BOARD  
T-1 TACKLE WALL PANEL ON OPSILUM WALL BOARD  
F-1 FINISH COLOR/PREF. # SECTION (09 05 00)  
G-1 GROUND TILE ON WATER RESISTANT OPSILUM WALL BOARD  
T-1 TACKLE WALL PANEL ON OPSILUM WALL BOARD

**INTERIOR ELEVATION LEGEND**

F-1 FINISH COLOR/PREF. # SECTION (09 05 00)  
G-1 GROUND TILE ON WATER RESISTANT OPSILUM WALL BOARD  
T-1 TACKLE WALL PANEL ON OPSILUM WALL BOARD  
F-1 FINISH COLOR/PREF. # SECTION (09 05 00)  
G-1 GROUND TILE ON WATER RESISTANT OPSILUM WALL BOARD  
T-1 TACKLE WALL PANEL ON OPSILUM WALL BOARD  
F-1 FINISH COLOR/PREF. # SECTION (09 05 00)  
G-1 GROUND TILE ON WATER RESISTANT OPSILUM WALL BOARD  
T-1 TACKLE WALL PANEL ON OPSILUM WALL BOARD

**Project Title**  
New Construction  
**ELEMENTARY SCHOOL CLOVIS**  
DAKOTA / ARMSTRONG  
Clovis Unified School District

**Agency/Approver**  
DESIGNATION STAMP  
ON OFFICE OF REGULATION SERVICES  
APPL. 02-110023  
DATE: \_\_\_\_\_  
AC: \_\_\_\_\_  
RIS: \_\_\_\_\_  
SS: \_\_\_\_\_

**Key Plan**  
[Site plan showing building location]

**Revision Table**

No.	Description	Date
3	ADDITIONAL	01/18/10
4	ADDITIONAL	11/19/09
5	BACK CHECK	11/21/08
6	SUBMITTAL	06/06/08

**Project Information**

Architect's Seal: [Seal]  
Designed: SL, ML, BB  
Drawn: ES, JR, JH, CLO  
Scale: 1/4" = 1'-0"  
Drawing No.: AD3-FC06  
Date: 11/14/08